

# JANOME

## Quilt Maker Accessory Upgrade Kit

This kit is for **MC15000** version 2.11 or any previous version. Included in the kit are several feet that will prove very useful for your creative quilting. Each foot was devised and developed with the principle of supporting your creative needs in mind.

\*Before using these accessories, you need to update your **MC15000**.



### Ruler Work Foot (QR)

This foot has been developed specifically for carrying out ruler work. Guide quilting templates along the edge of the foot to create straight, curved or repetitious patterns depending on the shape of the quilting template. The v-shaped gap in the foot enhances visibility.



### Variable Zigzag Open-toe Foot (QZ)

An open type variable zigzag foot which makes it easy to see what you're working on. Especially useful for detailed areas and layered stitch finishing.



### 1/4"Seam Foot (without guide)

Because there is no guide plate, you can sew smoothly without a guide catching on the seam allowance when piecing. The raised 1/4" guide line on the left side of the needle drop position makes the foot even more convenient.



### Darning Foot (Open-toe) (PD-H)

The open-toe 9 mm darning foot makes an appearance. With this foot, the needle is very easy to see when free-motion quilting.



### HP Needle Plate & HP Foot

A combination of a professional slim foot and special matching needle plate for high speed straight stitching. The foot's compactness makes it especially suitable for curve sewing. Also good for 1/4" piecing.

# JANOME

## Quilt Maker Accessory Upgrade Kit Information



### 1. Ruler Work Foot (QR)

To make ruler work more enjoyable for all quilters, this presser foot exclusively for ruler work was developed. Regular patterns that are difficult to free-motion quilt can be sewn using the ruler work foot and a quilting template. Using this foot, it's easy for anyone to sew regular patterns, and in addition to free motion quilting, you can add a new method of expression to your quilting repertoire.



### Convenient Ruler Work Page in Sewing Applications

When you open the ruler work page, all the settings required for ruler work will automatically be displayed.



Adjust the presser foot height to suit quilt thickness.  
(default setting: 2.5)

For ordinary and bulky quilts: select 2.5

For flatter quilts: select 1.5

\*You can make fine adjustments to presser foot height by pressing the "+" or "-" key.





# JANOME

## Quilt Maker Accessory Upgrade Kit Information

### Ruler Work Foot (QR)

#### Front of Foot is V-Shaped

To make it easier to see the area around the needle while sewing, the front of the foot is V-shaped.



You can comfortably sew using quilting templates for all sorts of patterns.




# JANOME

## Quilt Maker Accessory Upgrade Kit Information

### 2. Variable Zigzag Open-Toe Foot (QZ)



The open-toe variable zigzag foot makes an appearance! Since the front of the foot is large and open, the area around the needle is easy to see, making detailed work easier.

\*The attachment method for this foot is the same as the button sewing foot (T).



### Combining straight lines and zigzag in your work

The variable zigzag page in Sewing Applications has some convenient settings for variable zigzag sewing. The two stitches in the middle of the page are suitable for this foot.



### Even better visibility!

As the front of the foot is wide open, the area around the needle is very easy to see.

Ideal for sewing detailed areas and layered stitch finishing.

- 1: Sew at slow speeds.
- 2: When using a fabric that puckers, be sure to use stabilizer or adhesive type quilt batting. We recommend that you use the foot for flat parts that contain no basting.
- 3: The QV foot is recommended for bulky fabric.



QV





# JANOME

## Quilt Maker Accessory Upgrade Kit Information

### 3. ¼" Seam Foot Without Guide (O)

The recently developed ¼" Seam Foot with no guide plate attached is a very useful tool for various types of piecing work.

As with the ¼" seam foot, you can sew the ¼" position by aligning the cloth with the edge of the presser foot.

Fabric can be fed stably using the wide area of the foot. Made of metal, the foot is durable and strong.



#### No guide plate

You can sew smoothly without the guide plate getting caught at the part where the seam allowance of the piecing overlaps.



No guide O foot: smoothly sew the overlapping seam allowance parts.



Normal O foot: Seam allowance can get caught in guide plate.

#### ¼" guide on left side of needle drop as well

Because you can sew two lines from the same direction using the guide, the fabric stays flat and good results can be achieved every time.


Good for Flying Geese or Half Square Triangle Piecing!



Align edge of foot with the mark and sew.



Match the ¼" guide line with the mark and sew. As the guide line is raised, it is easy to align with the mark.



As you can sew from the same direction, the fabric stays flatter.


# JANOME

## Quilt Maker Accessory Upgrade Kit Information

### 1/4" Seam Foot Without Guide (O)

#### Markings at the front and behind from the needle drop position


Markings are very helpful for leaving 1/4" seam allowance. Match the fabric edge to Marking, you can leave 1/4" accurately without mark with a washable marker.



\*These Markings are good for fine piecing like a Lemon Star.



Right side





Wrong side

For sewing same length of many piecing pieces, 1/4" Seam Foot (O) and Patchwork page in the Sewing Application are very convenient



Patchwork page has memory function for piecing length. Sew piecing piece as your likely once and select 'OK' in the message it appeared, sewing machine automatically stops after sewing the memorized length.





# JANOME

## Quilt Maker Accessory Upgrade Kit Information

### 4. Darning Foot (Open-toe) (PD-H)

The darning foot is very useful for free-motion quilting which is becoming more and more popular all round the world. The foot moves up and down in conjunction with the needle bar reducing skipped stitches and maintaining thread tightness. Different to the standard darning foot, the front of this foot has been removed to make it more convenient and easy to use.



#### The front of the foot is open for better visibility


Since the front of the foot is open, the needle area is clearly visible. Because the up and down movement of the foot matches the needle bar, the foot holds the fabric allowing for a nice finish and great sewing results. Even those who are new to free-motion quilting will find this foot easy to use.

\*Recommended speed : slow to medium




#### The free-motion page in Sewing Applications has many useful settings


When the free-motion page is opened, the most suitable settings for free motion will automatically be selected.



\*Better sewing results can be achieved by using the straight stitch needle plate.



Janome has many useful feet for free motion quilting. You can choose depending on what you want to create or your personal preferences.




# JANOME

## Quilt Maker Accessory Upgrade Kit Information


### 5. Professional Grade Foot (HP) and Professional Grade Needle Plate (HP)

This is a set comprised of a slim and compact presser foot and special matching needle plate. A combination of a slim industrial-like foot and a special needle plate. The foot utilizes the left side feed dogs.




**When the Professional Grade Needle Plate is attached, the screen for Professional Grade Foot (HP) stitches is automatically displayed**

A sensor under the needle plate detects the plate and automatically changes to the correct screen. Very convenient and safe, with the needle position fixed at 0.5.



#### The narrow foot is good for small turns

Utilize this narrow gauge industrial type foot for curves and precise topstitching and experience the great ease of control and superior visibility it offers.



**By matching the edge of the foot against the edge of the fabric, you can sew a 1/4" seam allowance!**

It's sized perfectly for creating 1/4" seams. This foot will surely become a go-to item for accurate piecing even for curves and small pieces of fabric!

**\*When piecing, change the stitch length to 1.5-2.0 as your likely (the recommended stitch length for piecing is 1.80).**

