












Construction – Quilting

Needle Plate: Standard 	Foot: AcuFeed Flex – Ditch Quilting SD 	Thread: Pink & Teal 	Needle: Red Tip 
Stitch: Sewing Applications 	> Quilt Tab 	> Straight Stitch 	> Locking Stitch 
Settings: Press Foot Up Key (Pivot) 		Press Dual Feed Key (Acufeed) 	




1. Layer the quilt onto the wadding and backing. Baste with preferred method.



2. Stitch in the ditch around the outer edge of each block.














3. Pivoting at the corners as needed




4. Continue quilting with the AcuFeed / walking foot as required.

Construction – Free Motion Quilting


Needle Plate: Straight 	Foot: Free Motion QC or ASR 	Thread: Pink 	Needle: Purple Tip 
Stitch: Sewing Applications 	> Quilt Tab 	> Free Motion 	> Straight Stitch #2 
Settings: Reduce top thread tension to 3.4 		Confirm One Stitch Off key is active 	



1. Hold onto the top thread and start to sew, the machine will make one stitch and stop automatically. Pull up on the thread to bring the bobbin thread to the top.



2. Continue to sew, moving the block in a smooth curvy line.



3. Continue to sew other designs as desired.



4. Try a meander stitch.













5. Try spirals.



6. Try combining different stitches.

Construction – Ruler Work

<p>Needle Plate: Straight</p> 	<p>Foot: Ruler work QR</p> 	<p>Thread: Teal</p> 	<p>Needle: Purple Tip</p> 
<p>Stitch: Sewing Applications</p> 	<p>> Quilt Tab</p> 	<p>> Ruler Work</p> 	<p>> Light</p> 
<p>Accessory: Janome Ruler Kit</p> 	<p>Curved Oval Template</p> 		




1. Draw a line down the centre of the block.



2. Align the centre line of the ruler template with the line on the fabric.




3. Starting at the bottom of the template, sew around the shape.



4. With the needle in the down position, rotate the template to one side



5. Align the 45° line on the template with the line on the fabric



6. Sew around the shape



7. Rotate the template to the other



8. Remove the template try sewing some Free Motion Quilting in the shapes



9. Fill in different sections as desired